## Test Form A

Instructions: Choose the one best answer and mark it on the answer sheet provided. **PLEASE DO NOT WRITE ON THE TEST.** 

- 1. What is the average adult oral temperature?
  - a) 96°-99° F
  - b) 94°-100° F
  - c) 98°-101° F
  - d) None of the above
- 2. Normal pulse rate for an adult is:
  - a) 48-60 beats per minute
  - b) 60-110 beats per minute
  - c) 50-100 beats per minute
  - d) None of the above
- 3. Your results of a blood pressure reading for a person living in your group home is 170/110. You do **not** need to report this finding, since it is within the normal range.
  - a) T
  - b) F
- 4. Person Centered Planning is doing whatever consumer requests regardless of health and safety issues.
  - a) T
  - b) F
- 5. First aid measures for generalized tonic clonic seizures include all of the following **except:** 
  - a) Turn the person on their side
  - b) Loosen ties, collars & tight clothing
  - c) Protect from hazards
  - d) Restrain the person
- 6. Which of the following seizure activities must be documented and reported to the health care professional?
  - a) Persons experiencing first time seizures
  - b) Changes in frequency or type of seizures
  - c) A & B
  - d) None of the above

H:\USERS\TRAIN\GH\TESTS\BHEALTH.01.wps

# Test Form A

<ul> <li>7. A generalized tonic clonic seizure is often mistaken for a:</li> <li>a) Heart Attack</li> <li>b) Stroke</li> <li>c) Anxiety Attack</li> <li>d) A &amp; B</li> </ul>	
<ul><li>8. A person may have more than one type of seizure pattern.</li><li>a) T</li><li>b) F</li></ul>	
<ul><li>9. Seizures are caused by abnormal electrical disturbances in the brain.</li><li>a) T</li><li>b) F</li></ul>	
<ul><li>10. The most common drugs that cause allergic (anaphylactic) shock are antibiotics.</li><li>a) T</li><li>b) F</li></ul>	
<ul> <li>11. Signs and symptoms of severe allergic reaction may include:</li> <li>a) Hives &amp; intense itching</li> <li>b) Wheezing</li> <li>c) Loss of consciousness</li> <li>d) Excessive bleeding</li> <li>e) A,B,&amp; C</li> </ul>	
12. Your accurate observation and recording of seizure activity provides valuable information for the physician or health care professional.  a) T b) F	ation
<ul> <li>13. Common foods that frequently cause allergic reactions are:</li> <li>a) Applesauce</li> <li>b) Eggs</li> <li>c) Nuts</li> <li>d) Shellfish &amp; seafood</li> <li>e) B, C, &amp; D</li> </ul>	
14. A "carrier" is a person who has noticeable signs & symptoms of a communicable dise a) T	ease.

b) F

## Test Form A

- 15. Communicable diseases are caused by:
  - a) Bacteria
  - b) Viruses
  - c) Fungi
  - d) Parasites
  - e) All of the above
- 16. Individuals are more likely to get a communicable disease when:
  - a) They are vaccinated
  - b) They are eating a healthy diet
  - c) They are under stress
  - d) All of the above
- 17. The time period between getting an infection and developing symptoms of the illness is called the:
  - a) The active period
  - b) The incubation period
  - c) The treatment period
  - d) The rehabilitation period
- 18. Signs and symptoms of a communicable disease may include any of the following except:
  - a) Red, runny eyes
  - b) Cough
  - c) Swollen Glands
  - d) Black eve
  - e) Fever
- 19. Behaviors that place people at risk for developing Hepatitis B are:
  - a) Using contaminated needles or syringes
  - b) Exposing yourself to cold and flu viruses
  - c) Sharing a razor and razorblade for daily personal grooming
  - d) Participating in unprotected sex with multiple partners
  - e) A,C & D
- 20. What is the **most** important measure to prevent **transfer of germs** from person to person?
  - a) Getting plenty of rest and sleep
  - b) Frequent and proper hand washing
  - c) Wearing a gown and mask
  - d) Taking medication

H:\USERS\TRAIN\GH\TESTS\BHEALTH.01.wps

## Test Form A

- 21. People who are infected with the HIV virus or Hepatitis B virus can infect others as soon as:
  - a) Immediately after becoming infected themselves.
  - b) After they have had the virus long enough to develop antibodies
  - c) After they have acute symptoms of HIV or Hepatitis B
  - d) After they have tested positive several times over a period of a year
- 22. Universal Precautions are a system of infectious disease controls, which assume that every contact with blood or body fluids is infectious.
  - a) T
  - b) F
- 23. A clean, disposable plastic ear tip must be used for each person when using an ear thermometer to measure body temperature.
  - a) T
  - b) F
- 24. To prevent a communicable disease from occurring, one must:
  - a) Break all of the links in the infection chain
  - b) Break 2 of the 6 links in the infection chain
  - c) Break 1 of the six links in the infection chain
  - d) Break 50% of the links in the infection chain
  - e) None of the above
- 25. Place the following hand washing steps in the proper sequence.
  - 1. Use a rotating friction rub, counting to 20
  - 2. Apply soap thoroughly, especially under nails and between fingers
  - 3. Dry thoroughly
  - 4. Rinse well under running water
  - 5. Turn water off with a towel
  - 6. Wet hands
  - 7. Interlace fingers & rub together
  - a) 3,2,6,5,7,1,4
  - b) 6,2,1,7,4,3,5
  - c) 7,6,4,5,1,3,2
  - d) 1,3,2,4,5,6,7